

## Cabrillo Spec for JARTS WW RTTY Contest

**START-OF-LOG:** 3.0

Must be the first line of the log submission.

**CALLSIGN:** callsign, The callsign used during the contest.

**ARRL-SECTION:** Your continent, must be one of the following.

AF(Africa), AS(Asia), EU(Europe), OC(Oceania), NA(North America), SA(South America).

**CONTEST:** JARTS-WW-RTTY

**CATEGORY-MODE:** RTTY

**CATEGORY-OPERATOR:** The category-operator must be one of the following.

SINGLE-OP, MULTI-OP.

**CATEGORY-POWER:** The category-power must be one of the following.

HIGH, LOW.

**OPERATORS:** callsign1 [callsign2 callsign3...]

Multi op station must list all operators.

**NAME:** your name

**ADDRESS:** your address

**EMAIL:** your email address where we can contact you if there is a question about your log.

**CLUB:** Name of the radio club. This field is optional.

**CLAIMED-SCORE:** The claimed-score of the log submission, This field is optional.

**CREATED-BY:** Name and version of the logging program used to create the Cabrillo file. This field is optional.

**SOAPBOX:** Soapbox comments.

**QSO:** qso-data

**END-OF-LOG:**

Must be the last line of the log submission.

## Cabrillo QSO template for JARTS

```

                -----info sent---          -----info rcvd-----
QSO: freq mo date      time call          rst ag      call          rst ag
QSO: ***** ** yyyy-mm-dd nnnn ***** nnn nn      ***** nnn nn
QSO: 21082 RY 2017-10-21 2102 JA1QRZ          599 54      JA9QSY          599 51
123456789012345678901234567890123456789012345678901234567890123456789
```

- freq: integer frequency in kHz; if freq not known then 28000, 21000, 14000, 7000, 3500
- mo: RY
- date: UTC date in yyyy-mm-dd form
- time: UTC time in nnnn form
- call: callsign
- rst: RST
- ag: sent and rcvd age for exchange

## Sample of Cabrillo Log

START-OF-LOG: 3.0

CALLSIGN: JA1QRZ

ARRL-SECTION: AS

CONTEST: JARTS-WW-RTTY

CATEGORY-MODE: RTTY

CATEGORY-OPERATOR: SINGLE-OP

CATEGORY-POWER: HIGH

OPERATORS: JA1QRZ

NAME: Taro Suzuki

ADDRESS: 1-2-3, Hinode

ADDRESS-CITY: Higashi-ku

ADDRESS-STATE-PROVINCE: Tokyo

ADDRESS-POSTALCODE: 123-4567

ADDRESS-COUNTRY: JAPAN

EMAIL: ja1qrz@xxx.yyy

CLUB: JARTS

CLAIMED-SCORE: 12345

CREATED-BY: ABCLogger V1.0

SOAPBOX:

SOAPBOX:

QS0: 3527 RY 2017-10-21 0428 JA1QRZ	599 54	JA1YOB	599 99
QS0: 28085 RY 2017-10-21 0006 JA1QRZ	599 54	W7ABC	599 58
QS0: 7039 RY 2017-10-21 0328 JA1QRZ	599 54	JA1YSI	599 99
QS0: 14091 RY 2017-10-21 0122 JA1QRZ	599 54	DU3ZZZ	599 68
QS0: 21087 RY 2017-10-21 0228 JA1QRZ	599 54	KH6DDD	599 68
QS0: 21082 RY 2017-10-21 2102 JA1QRZ	599 54	JA9QSY	599 51

END-OF-LOG:

## The file name of Cabrillo file

The file name of those Cabrillo files have to satisfy following format.  
And if your callsign includes '/' (slash), you have to replace it with  
'-' (dash)

FORMAT: CALLSIGN.CBR

EXAMPLE: JA1QRZ.CBR

EXAMPLE: KH2-JA1QRZ.CBR (meaning KH2/JA1QRZ.CBR)